Please type a plus sign (+) inside this box ___ _

LI et al.

1655-1634

SISSON, B.

Approved to use through 1/2002
U.S. Patent and Trademark Office 2/S. DEPARTMENT
and to a collection of information unless it contains a valid OMB contro Under the Paperwork Reduction Act of 1995 Complete if Know Substitute for form 1449A/PTO 09/458,533 **Application Number** December 09,1999 Filing Date

First Named Inventor

Group Art Unit

Examiner Name

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet of 2 A-70127/RMS/DLR Attorney Docket Number

U.S. PATENT DOCUMENTS							
olumns, Lines, re Relevant							
s or Relevant res Appear							
_							

							FOREIGN PATENT DOCUME	NTS		
	Examiner Initials*		Foreign Patent Document Kind Code ² Office ³ Number ⁴ (if known)		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶		
937	1	4	WO	96/06946	/	A1	Igen Inc.	03/1996		
/	,	5	WO	97/12030		A1	Nanogen Inc.	04/1997		
)		6	WO	98/12539	,	A1	Meso Scale Technologies, LLC.	03/1998		
¢.		7	wo	98/54294	0	A1	Board of Trustees, Leland Stanford Jr. University	12/1998		
5		8	WO	99/07879	,	A1	University of Southern California	02/1999		
2		9	WO	99/15893	1	A 1	Aventis Research & Technologies	04/1999		
<u> </u>		10	WO	99/18242	_	A1	Motorola Inc.	04/1999		
c 1		11	WO	99/57319	1	A1	Clinical Micro Sensors	11/1999		
r		12	EP	0226470	,	A2	Unilever PLC	06/1987		
3		13	EP	0372911	1	A2	Chirana	06/1990		
. B F	(/)	14	EP	0543550		A 1	Houston Advanced Research Center	05/1993		
										_
										士
										+

Examiner Signature	B. L. Sison	Date Considered	4/2/02	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English Language Translation is attached.

Please type a	plus sign (-	+) inside th	is box 🛶 🖪

DEC 1 0 2001

PTO/SB/8B (08-00)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Pa	perwork Reduction Act o	f 1995, n	o persons are required to respo	no to a collection of information i	unless it contains a valid OMB control number.
	itute for form 1449		\delta \d		Complete if Known
	_			Application Number	09/458,533
INF	'ORMATIO	ND	ISCLOSURE	Filing Date	December 09,1999
STA	ATEMENT I	BY A	APPLICANT	First Named Inventor	LI et al.
				Group Art Unit	1655-1634
	(use as many sh	eets as	necessary)	Examiner Name	SISSON, B.
Sheet	2	of	2	Attorney Docket Number	A-70127/RMS/DLR

	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS									
Examiner Initials*	Cite No. Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.									
BYS	15	Beattie et al., "Genosensor Technology," Clinical Chemistry, 39(4):719-722 (1993).								
BYA BYA	16	DiCesare et al., "A High Sensitivity Electrochemiluminescence-Based Detection System for Automated PCR Product Quantitation," BioTechniques, 15(1): 152-157 (1993).								

Examiner Signature	P Lisa	Date Considered	6-2-02	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English Language Translation is attached.